



Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner

STATE OF INDIANA)
) SS: ADMINISTRATIVE ORDER OF THE INDIANA
COUNTY OF MARION) STATE DEPARTMENT OF HEALTH
Cause no. Gasoline Sample – 91195136
Registration Number: H1-92024

IN THE MATTER OF THE OPERATION OF)
Village Pantry #496 (Marathon))
9601 North College)
Indianapolis, Indiana 46280)

TO: Village Pantry #496 (Marathon)
9601 North College.
Indianapolis, Indiana 46280

EMERGENCY STOP-SALE ORDER

You are **NOTIFIED** that the Division of Weights and Measures, Indiana State Department of Health, pursuant to Indiana Code 16-44-3-7 (2) and Indiana code 4-21.5-4 et seq. hereby **ORDERS YOU TO IMMEDIATELY STOP THE SALE** of all motor fuel labeled unleaded gasoline (87 octane) motor fuel, at the facility known as **Village Pantry #496 (Marathon)**, located at **9601 North College Indianapolis, Indiana 46280**.

The **Village Pantry #496 (Marathon)** station is a motor fuel outlet facility engaged in the sale of Motor fuel and Kerosene to the public.

On January 24, 2011 a Representative of the Division of Weights and Measures, Indiana State Department of Health, conducted a inspection of the **Village Pantry #496 (Marathon)** facility and collected sample of unleaded (87 octane) grade. The sample was tested with Sar-gel for water and tested positive for water in the fuel storage tanks.

This is a violation of the Indiana Code 16-44-3-1 et seq., and 410 IAC 12.1-2-2(a), "Standard Specification for Automotive Spark-Ignition Engine Fuel and Kerosene products".

YOU ARE HEREBY ORDERED TO IMMEDIATELY STOP THE SALE of Unleaded (87 octane) Motor fuel from the fuel pumps dispensing at the facility known as **Village Pantry #496 (Marathon)**, 9601 North College, Indianapolis, Indiana 46280.

This **ORDER** shall remain in effect until such time as the fuel has been upgraded in accordance with 410 IAC 12.1-2-3 (e) or has been disposed of in accordance with 410 IAC 12.1-2-3 (d).



Indiana State
Department of Health
An Equal Opportunity Employer

Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner


This **ORDER** is effective upon issuance.

If you wish to request a hearing on this **ORDER**, pursuant to IC 4-21-5-4, you are required to forward a written request to the Indiana State Department of Health, at the office of Secretary, 2 North Meridian Street, Indianapolis, Indiana 46204 on or before **February 25, 2011**.

Dated at Indianapolis, Indiana this 25th day of January 2011.

Respectfully submitted,

DIVISION OF WEIGHTS AND MEASURES,
MOTOR FUEL INSPECTION OF THE
INDIANA STATE DEPARTMENT OF HEALTH


Larry V. Stump, Director
Division of Weights and Measures,
Motor Fuel Inspection
lstump@isdh.in.gov
317-356-7078 ext.225

Received by: 

Date: 



Indiana State
Department of Health
An Equal Opportunity Employer

Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner

STATE OF INDIANA)
) SS: ADMINISTRATIVE ORDER OF THE INDIANA
COUNTY OF MARION) STATE DEPARTMENT OF HEALTH
Cause no. Gasoline Sample – 091193106
Registration Number: M2-961344

IN THE MATTER OF THE OPERATION OF)
Marathon)
3511 South Post Rd.)
Indianapolis, Indiana 46239)

TO: Marathon
3511 South Post Rd.
Indianapolis, Indiana 46239

EMERGENCY STOP-SALE ORDER

You are **NOTIFIED** that the Division of Weights and Measures, Indiana State Department of Health, pursuant to Indiana Code 16-44-3-7 (2) and Indiana code 4-21.5-4 et seq. hereby **ORDERS YOU TO IMMEDIATELY STOP THE SALE** of motor fuel from the fuel pumps dispensing unleaded grade Premium (93 octane) motor fuel, at the facility known as **Marathon**, located at **3511 South Post Rd. Indianapolis, Indiana 46239**.

The **Marathon** station is a motor fuel outlet facility engaged in the sale of motor fuel at retail to the public.

On January 12, 2011 a Representative of the Division of Weights and Measures, Indiana State Department of Health, conducted an inspection of the **Marathon** facility and collected sample of unleaded grade Premium (93 octane) motor fuel being dispensed at that facility. The results of the laboratory tests conducted on said motor fuel sample revealed the presence of high levels of water in a one gallon gasoline sample container. In a 20 oz. sample of the gasoline at 11 oz. level shows water in this grade of gasoline Premium (93 octane).

This is a violation of the Indiana Code 16-44-3-1 et seq., and 410 IAC 12.1-2-2(a), "Standard Specification for Automotive Spark-Ignition Engine Fuel".

YOU ARE HEREBY ORDERED TO IMMEDIATELY STOP THE SALE of motor fuel from the fuel pumps dispensing unleaded grade Premium (93 octane) motor fuel at the facility known as **Marathon, 3511 South Post Rd. Indianapolis, Indiana 46239**.

This **ORDER** shall remain in effect until such time as the fuel has been upgraded in accordance with 410 IAC 12.1-2-3 (e) or has been disposed of in accordance with 410 IAC 12.1-2-3 (d).



Indiana State
Department of Health
An Equal Opportunity Employer

Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner


This **ORDER** is effective upon issuance.


If you wish to request a hearing on this **ORDER**, pursuant to IC 4-21-5-4, you are required to forward a written request to the Indiana State Department of Health, at the office of Secretary, 2 North Meridian Street, Indianapolis, Indiana 46204 on or before **January 31, 2011.**

Dated at Indianapolis, Indiana this 12th day of January 2011.

Respectfully submitted,

DIVISION OF WEIGHTS AND MEASURES,
MOTOR FUEL INSPECTION OF THE
INDIANA STATE DEPARTMENT OF HEALTH


Larry J. Stump, Director
Division of Weights and Measures,
Motor Fuel Inspection
lstump@isdh.in.gov
317-356-7078 ext.225

Received by: 

Date: 1/12/2011



Indiana State
Department of Health
An Equal Opportunity Employer

Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner

STATE OF INDIANA)
) SS: ADMINISTRATIVE ORDER OF THE INDIANA
COUNTY OF MARION) STATE DEPARTMENT OF HEALTH
Cause no. Gasoline Sample – water in storage tank
Registration Number: P7-20632

IN THE MATTER OF THE OPERATION OF)
Marathon #2706)
115 West County Rd. 950 South)
I-70 & S.R. 243)
Cloverdale, Indiana 46120)

TO: Marathon #2706
115 West County Rd. 950 South
I-70 & S.R. 243
Cloverdale, Indiana 46120

EMERGENCY STOP-SALE ORDER

You are **NOTIFIED** that the Division of Weights and Measures, Indiana State Department of Health, pursuant to Indiana Code 16-44-3-7 (2) and Indiana code 4-21.5-4 et seq. hereby **ORDERS YOU TO IMMEDIATELY STOP THE SALE** of all motor fuel labeled unleaded gasoline (93 octane) motor fuel, at the facility known as **Marathon #2706**, located at **115 West County Rd. 950 South, Cloverdale, Indiana 46120**.

The **Marathon #2706** station is a motor fuel outlet facility engaged in the sale of Motor fuel and Kerosene to the public.

On January 25, 2011 a Representative of the Division of Weights and Measures, Indiana State Department of Health, conducted an inspection of the **Marathon #2706** facility and collected sample of unleaded (93 octane) grade. We tested the Premium Unleaded storage tank with Sar-gel water paste and tested positive for water. The Premium fuel storage tank had 6 1/2 inches of water in the storage tank.

This is a violation of the Indiana Code 16-44-3-1 et seq., and 410 IAC 12.1-2-2(a), "Standard Specification for Automotive Spark-Ignition Engine Fuel and Kerosene products".

YOU ARE HEREBY ORDERED TO IMMEDIATELY STOP THE SALE of Unleaded (93 octane) Motor fuel from the fuel pumps dispensing at the facility known as **Marathon #2706**, **115 West County Rd. 950 South, Cloverdale, Indiana 46120**.

This **ORDER** shall remain in effect until such time as the fuel has been upgraded in accordance with 410 IAC 12.1-2-3 (e) or has been disposed of in accordance with 410 IAC 12.1-2-3 (d).



Indiana State
Department of Health
An Equal Opportunity Employer

Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner

This **ORDER** is effective upon issuance.

If you wish to request a hearing on this **ORDER**, pursuant to IC 4-21-.5-4, you are required to forward a written request to the Indiana State Department of Health, at the office of Secretary, 2 North Meridian Street, Indianapolis, Indiana 46204 on or before **February 27, 2011.**

Dated at Indianapolis, Indiana this 26th day of January 2011.

Respectfully submitted,

DIVISION OF WEIGHTS AND MEASURES,
MOTOR FUEL INSPECTION OF THE
INDIANA STATE DEPARTMENT OF HEALTH

Larry J. Stump, Director
Division of Weights and Measures,
Motor Fuel Inspection
lstump@isdh.in.gov
317-356-7078 ext.225

Received by: _____

Date: _____



Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner

STATE OF INDIANA)
) SS: ADMINISTRATIVE ORDER OF THE INDIANA
COUNTY OF MARION) STATE DEPARTMENT OF HEALTH
Cause no. Gasoline Sample – 91199124
Registration Number: M2-20807
IN THE MATTER OF THE OPERATION OF)
Marathon)
982 North Tibbs Ave.)
Indianapolis, Indiana 46222)

TO: Marathon
982 North Tibbs Ave.
Indianapolis, Indiana 46222

EMERGENCY STOP-SALE ORDER

You are **NOTIFIED** that the Division of Weights and Measures, Indiana State Department of Health, pursuant to Indiana Code 16-44-3-7 (2) and Indiana code 4-21.5-4 et seq. hereby **ORDERS YOU TO IMMEDIATELY STOP THE SALE** of motor fuel from the fuel pumps dispensing unleaded grade (87 octane) motor fuel, at the facility known as **Marathon**, located at **982 North Tibbs Ave. Indianapolis, Indiana 46222**.

The **Marathon** station is a motor fuel outlet facility engaged in the sale of motor fuel at retail to the public.

On January 18, 2011 a Representative of the Division of Weights and Measures, Indiana State Department of Health, conducted an inspection of the **Marathon** facility tested grade (87 octane) motor fuel being dispensed at that facility. The results of the Sar-gel test on the unleaded (87 octane) storage tank shows 10 inches of water in the 87 octane storage tank. Inspector also has taken a one gallon sample for evidence.

This is a violation of the Indiana Code 16-44-3-1 et seq., and 410 IAC 12.1-2-2(a), "Standard Specification for Automotive Spark-Ignition Engine Fuel".

YOU ARE HEREBY ORDERED TO IMMEDIATELY STOP THE SALE of motor fuel from the fuel pumps dispensing unleaded grade regular unleaded (87 octane) motor fuel at the facility known as **Marathon, 982 North Tibbs Ave. Indianapolis, Indiana 46222**.

This **ORDER** shall remain in effect until such time as the fuel has been upgraded in accordance with 410 IAC 12.1-2-3 (e) or has been disposed of in accordance with 410 IAC 12.1-2-3 (d).



Indiana State
Department of Health
An Equal Opportunity Employer

Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner


This **ORDER** is effective upon issuance.

If you wish to request a hearing on this **ORDER**, pursuant to IC 4-21-.5-4, you are required to forward a written request to the Indiana State Department of Health, at the office of Secretary, 2 North Meridian Street, Indianapolis, Indiana 46204 on or before **February 17, 2011.**

Dated at Indianapolis, Indiana this 18th day of January 2011.

Respectfully submitted,

DIVISION OF WEIGHTS AND MEASURES,
MOTOR FUEL INSPECTION OF THE
INDIANA STATE DEPARTMENT OF HEALTH


Larry J. Stump, Director
Division of Weights and Measures,
Motor Fuel Inspection
lstump@isdh.in.gov
317-356-7078 ext.225

Received by: _____

Date: 1/18/2011



Indiana State
Department of Health
An Equal Opportunity Employer

Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner

STATE OF INDIANA)
) SS: ADMINISTRATIVE ORDER OF THE INDIANA
COUNTY OF MARION) STATE DEPARTMENT OF HEALTH
Cause no. Gasoline Sample – LJS
Registration Number: G2-20600
IN THE MATTER OF THE OPERATION OF)
Sunoco)
280 North Main Street)
Upland, Indiana 46989)

TO: Sunoco
280 North Main Street.
Upland, Indiana 46989

EMERGENCY STOP-SALE ORDER

You are **NOTIFIED** that the Division of Weights and Measures, Indiana State Department of Health, pursuant to Indiana Code 16-44-3-7 (2) and Indiana code 4-21.5-4 et seq. hereby **ORDERS YOU TO IMMEDIATELY STOP THE SALE** of Kerosene heating fuel from the fuel pumps dispensing Kerosene fuel, at the facility known as **Sunoco**, located at **280 North Main Street Upland, Indiana 46989**.

The **Sunoco** station is a motor fuel outlet facility engaged in the sale of Motor fuel and Kerosene to the public.

On January 17, 2011 a Representative of the Division of Weights and Measures, Indiana State Department of Health, conducted an inspection of the **Sunoco** facility based on complaint from the Upland Fire Department at there is gasoline in the Kerosene. The results from the testing laboratory are high levels of contamination in the sample of Kerosene. This Kerosene product does not meet the Federal Specification for Kerosene VV-K-211d and ASTM D-56.

This is a violation of the Indiana Code 16-44-3-1 et seq., and 410 IAC 12.1-2-2(a), "Standard Specification for Automotive Spark-Ignition Engine Fuel and Kerosene products".

YOU ARE HEREBY ORDERED TO IMMEDIATELY STOP THE SALE of Kerosene heating fuel from the fuel pump number 9 dispensing at the facility known as **Sunoco, 280 North Main Street. Upland, Indiana 46989**.

This **ORDER** shall remain in effect until such time as the fuel has been upgraded in accordance with 410 IAC 12.1-2-3 (e) or has been disposed of in accordance with 410 IAC 12.1-2-3 (d).



Indiana State
Department of Health
An Equal Opportunity Employer

Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner

This **ORDER** is effective upon issuance.

If you wish to request a hearing on this **ORDER**, pursuant to IC 4-21-.5-4, you are required to forward a written request to the Indiana State Department of Health, at the office of Secretary, 2 North Meridian Street, Indianapolis, Indiana 46204 on or before **February 17, 2011**.

Dated at Indianapolis, Indiana this 19th day of January 2011.

Respectfully submitted,

DIVISION OF WEIGHTS AND MEASURES,
MOTOR FUEL INSPECTION OF THE
INDIANA STATE DEPARTMENT OF HEALTH

Larry J. Stump, Director
Division of Weights and Measures,
Motor Fuel Inspection
lstump@isdh.in.gov
317-356-7078 ext.225

Received by: _____

Date: 1/18/2011

Indiana State
Department of Health
An Equal Opportunity Employer

Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner

STATE OF INDIANA) ADMINISTRATIVE ORDER OF THE INDIANA
) SS: STATE DEPARTMENT OF HEALTH
COUNTY OF MARION) Cause no. Gasoline Sample – 081060414
Registration Number: O3-92209

IN THE MATTER OF THE OPERATION OF)
Circle K #20)
202 Morgan Street)
Spencer, Indiana 47460)

TO: Circle K #20
202 Morgan Street
Spencer, Indiana 47460

EMERGENCY STOP-SALE ORDER

You are **NOTIFIED** that the Division of Weights and Measures, Indiana State Department of Health, pursuant to Indiana Code 16-44-3-7 (2) and Indiana code 4-21.5-4 et seq. hereby **ORDERS YOU TO IMMEDIATELY STOP THE SALE** of motor fuel from the fuel pumps dispensing unleaded grade Extra (89 octane) motor fuel, at the facility known as **Circle K #20**, located at **202 Morgan Street, Spencer, Indiana 47460**.

The **Circle K #20** is a motor fuel outlet facility engaged in the sale of motor fuel at retail to the public.

On November 18, 2010 a Representative of the Division of Weights and Measures, Indiana State Department of Health, conducted an inspection of the **Circle K #20** facility and collected sample of unleaded grade Plus (89 octane) motor fuel being dispensed at that facility. The results of the laboratory tests conducted on said motor fuel sample revealed the presence of high levels of Water. In a one gallon gasoline sample container there is 80.0 % level of **brown water** in this grade of gasoline Plus (89 octane).

This is a violation of the Indiana Code 16-44-3-1 et seq., and 410 IAC 12.1-2-2(a), "Standard Specification for Automotive Spark-Ignition Engine Fuel".

YOU ARE HEREBY ORDERED TO IMMEDIATELY STOP THE SALE of motor fuel from the fuel pumps dispensing unleaded grade Extra (89 octane) motor fuel at the facility known as **Circle #20 at 202 Morgan Street Spencer, Indiana 47460.**

This **ORDER** shall remain in effect until such time as the fuel has been upgraded in accordance with 410 IAC 12.1-2-3 (e) or has been disposed of in accordance with 410 IAC 12.1-2-3 (d).



Indiana State
Department of Health
An Equal Opportunity Employer

Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner

This **ORDER** is effective upon issuance.

If you wish to request a hearing on this **ORDER**, pursuant to IC 4-21-.5-4, you are required to forward a written request to the Indiana State Department of Health, at the office of Secretary, 2 North Meridian Street, Indianapolis, Indiana 46204 on or before **December 10, 2010.**

Dated at Indianapolis, Indiana this 19th day of November 2010.

Respectfully submitted,

DIVISION OF WEIGHTS AND MEASURES,
MOTOR FUEL INSPECTION OF THE
INDIANA STATE DEPARTMENT OF HEALTH

Larry J. Stump, Director
Division of Weights and Measures,
Motor Fuel Inspection
317-356-7078 ext.225

Received by: Diana Sins

Date: 11-19-2010



Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner

STATE OF INDIANA)
) SS: ADMINISTRATIVE ORDER OF THE INDIANA
COUNTY OF MARION) STATE DEPARTMENT OF HEALTH
Cause no. Gasoline Sample – 081060415
Registration Number: 03-92209
IN THE MATTER OF THE OPERATION OF)
Circle K #20)
202 Morgan Street)
Spencer, Indiana 47460)

TO: Circle K #20
202 Morgan Street
Spencer, Indiana 47460

EMERGENCY STOP-SALE ORDER

You are **NOTIFIED** that the Division of Weights and Measures, Indiana State Department of Health, pursuant to Indiana Code 16-44-3-7 (2) and Indiana code 4-21.5-4 et seq. hereby **ORDERS YOU TO IMMEDIATELY STOP THE SALE** of motor fuel from the fuel pumps dispensing unleaded grade Extra (89 octane) motor fuel, at the facility known as **Circle K #20**, located at **202 Morgan Street, Spencer, Indiana 47460**.

The **Circle K #20** is a motor fuel outlet facility engaged in the sale of motor fuel at retail to the public.

On November 18, 2010 a Representative of the Division of Weights and Measures, Indiana State Department of Health, conducted an inspection of the **Circle K #20** facility and collected sample of unleaded grade V-power (93 octane) motor fuel being dispensed at that facility. The results of the laboratory tests conducted on said motor fuel sample revealed the presence of high levels of Water. In a one gallon gasoline sample container there is 1 1/4 inches of **water** in this grade of gasoline V-power (93 octane).

This is a violation of the Indiana Code 16-44-3-1 et seq., and 410 IAC 12.1-2-2(a), "Standard Specification for Automotive Spark-Ignition Engine Fuel".

YOU ARE HEREBY ORDERED TO IMMEDIATELY STOP THE SALE of motor fuel from the fuel pumps dispensing unleaded grade V-Power (93 octane) motor fuel at the facility known as **Circle #20 at 202 Morgan Street Spencer, Indiana 47460**.

This **ORDER** shall remain in effect until such time as the fuel has been upgraded in accordance with 410 IAC 12.1-2-3 (e) or has been disposed of in accordance with 410 IAC 12.1-2-3 (d).



Indiana State
Department of Health
An Equal Opportunity Employer

Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner


This **ORDER** is effective upon issuance.

If you wish to request a hearing on this **ORDER**, pursuant to IC 4-21-5-4, you are required to forward a written request to the Indiana State Department of Health, at the office of Secretary, 2 North Meridian Street, Indianapolis, Indiana 46204 on or before **December 10, 2010**.

Dated at Indianapolis, Indiana this 19th day of November 19, 2010.

Respectfully submitted,

DIVISION OF WEIGHTS AND MEASURES,
MOTOR FUEL INSPECTION OF THE
INDIANA STATE DEPARTMENT OF HEALTH


Larry J. Stump, Director
Division of Weights and Measures,
Motor Fuel Inspection
317-356-7078 ext.225

Received by: 

Date: 11/19/2010



Indiana State
Department of Health
An Equal Opportunity Employer

Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner

STATE OF INDIANA)
) SS: ADMINISTRATIVE ORDER OF THE INDIANA
COUNTY OF MARION) STATE DEPARTMENT OF HEALTH
Cause no. Gasoline Sample – 081089423
Registration Number: W5-20800
IN THE MATTER OF THE OPERATION OF)
Clark)
100 Richmond Ave.)
Richmond, Indiana 47374)

TO: Clark
100 Richmond Ave.
Richmond, Indiana 47374

EMERGENCY STOP-SALE ORDER

You are **NOTIFIED** that the Division of Weights and Measures, Indiana State Department of Health, pursuant to Indiana Code 16-44-3-7 (2) and Indiana code 4-21.5-4 et seq. hereby **ORDERS YOU TO IMMEDIATELY STOP THE SALE** of motor fuel from the fuel pumps dispensing unleaded grade Ultimate (93 octane) motor fuel, at the facility known as **Clark**, located at **100 Richmond Ave. Richmond, Indiana 47374**.

The **Clark** station is a motor fuel outlet facility engaged in the sale of motor fuel at retail to the public.

On December 6, 2010 a Representative of the Division of Weights and Measures, Indiana State Department of Health, conducted an inspection of the **Clark** facility and collected sample of unleaded grade Ultimate (93 octane) motor fuel being dispensed at that facility. The results of the laboratory tests conducted on said motor fuel sample revealed the presence of high levels of water in a one gallon gasoline sample container. In a 20 oz. test of the gasoline sample at 16 oz. level shows water in this grade of gasoline Ultimate (93 octane).

This is a violation of the Indiana Code 16-44-3-1 et seq., and 410 IAC 12.1-2-2(a), "Standard Specification for Automotive Spark-Ignition Engine Fuel".

YOU ARE HEREBY ORDERED TO IMMEDIATELY STOP THE SALE of motor fuel from the fuel pumps dispensing unleaded grade Ultimate (93 octane) motor fuel at the facility known as **Clark at 100 Richmond Ave. Richmond, Indiana 47374**.

This **ORDER** shall remain in effect until such time as the fuel has been upgraded in accordance with 410 IAC 12.1-2-3 (e) or has been disposed of in accordance with 410 IAC 12.1-2-3 (d).



Indiana State
Department of Health
An Equal Opportunity Employer

Mitchell E. Daniels, Jr.
Governor

Gregory N. Larkin, M.D., F.A.A.F.P.
State Health Commissioner

This **ORDER** is effective upon issuance.

If you wish to request a hearing on this **ORDER**, pursuant to IC 4-21-.5-4, you are required to forward a written request to the Indiana State Department of Health, at the office of Secretary, 2 North Meridian Street, Indianapolis, Indiana 46204 on or before **December 30, 2010.**

Dated at Indianapolis, Indiana this 7th day of December 2010.

Respectfully submitted,

DIVISION OF WEIGHTS AND MEASURES,
MOTOR FUEL INSPECTION OF THE
INDIANA STATE DEPARTMENT OF HEALTH

Larry J. Stump, Director
Division of Weights and Measures,
Motor Fuel Inspection
317-356-7078 ext.225

Received by: Harry Suh

Date: December 8, 2010